

Investigating Algorithmic Approaches for Inverse Problem Resolution in Economic Analysis under Constraining Conditions

Anastasiya Fedorova and Viktor Kuznetsov

Department of Mathematical Modeling, Siberian State Aerospace University, 31 Krasnoyarsky Rabochy Street, Krasnoyarsk, Russia, 660041; Department of Economic Systems, Ural Federal University, 19 Mira Street, Yekaterinburg, Russia, 620002

Abstract

Inverse problems play a significant role in economic analysis and decision-making, as they enable the determination of input factors required to achieve a desired outcome. Unlike direct problems, which focus on calculating results from known causes, inverse problems seek to identify the causes that lead to a specified effect. This study examines the application of inverse computing methods for solving economic inverse problems using expert information. The proposed approach incorporates additional knowledge, including the relative importance of variables and the direction of their expected changes, to determine the required values of function arguments corresponding to a target result. The relationships among economic indicators are represented through a hierarchical tree structure, allowing complex dependencies to be analyzed systematically. A profitability model, where profitability is defined as the ratio of profit to cost, is used to illustrate the implementation of direct and inverse calculations. The results demonstrate that the inverse computing apparatus provides an effective mechanism for identifying control actions and supporting managerial decision-making. The proposed methodology enhances the capabilities of decision support systems by enabling the formulation of strategies required to achieve predetermined economic objectives and improve organizational performance.

Keywords: inverse calculations, inverse problem, linear programming, economic analysis, optimization algorithm.

1. Introduction

Tasks to be solved in the field of economics can be divided into direct and reverse in the direction of causal relationship. The direct task is establishing an investigation for well-known reasons, i. e., to calculate the result based on the available values of its values and the type of dependence between them. This allows to evaluate the current state of the investigated object, make a forecast for future periods, and study the influence of factors on the output value. An example of solving a direct problem can be the determination of the profit of an enterprise for given values of income and expenses, the determination of revenue for given values of price and quantity. The inverse problem is to establish the causes leading to the corollary of interest, i. e., such a selection of initial values that would ensure a given value of the result. Such problems are considered incorrect [1] and have become widespread in various fields, including the economy [2–6].

In [7], an inverse computation apparatus is proposed that allows solving an inverse problem using expert information. Solving problems of this kind is relevant, because it allows to answer the question “how to do it so that ...?”, determine the control actions to achieve the desired state of the economy, which is an integral function of decision support systems. The inverse computing apparatus has found practical application in various sectors of the economy [8–11].

Solving inverse problems using inverse calculations is to obtain the point values of the growth of the arguments of a function based on its given value and additional information coming from the person who forms the solution. In particular, the coefficients of the relative importance of the argument and the direction of their change (increase or decrease) can be indicated as such information.

The relationship of indicators can be represented in the form of a tree, at the first level of which the resulting indicator is located, at the second – indicators that form it. Fig. 1 shows a graphical illustration of the direct and inverse problems in the case of multiple dependence for the function of two arguments: profitability (r) is equal to the ratio of profit (p) to cost (c) [12].

$$r = p/c. \tag{1}$$

Let's consider the solution of the inverse problem. Initial data: $r=0.2, p=10$ (c.u.), $c=50$ (c.u.). It is necessary to determine the values of profit and costs that will ensure a profitability of 0.3.

Without additional information, this problem can have set of solutions.




Fig. 1. Graphical representation of the problem: a – direct; b – indirect

Let x_i – i -th argument of the function $f(x)$ ($i=1..n, n$ – the number of arguments), and α_i – the coefficient of relative priority of the i -th argument. Then the solution of the problem using inverse calculations can be obtained by solving the system of equations:

$$\begin{cases} x_1 \pm \Delta x_1(\alpha_1), x_2 \pm \Delta x_2(\alpha_2), \dots, x_n \pm \Delta x_n(\alpha_n) \\ y \pm \Delta y = f(x_1 \pm \Delta x_1(\alpha_1), \dots, x_n \pm \Delta x_n(\alpha_n)) \end{cases}$$

$$\Delta x_1 = \alpha_1; \dots; \Delta x_n = \alpha_n$$

$$\sum_{i=1}^n \alpha_i = 1,$$

where Δx_i – the increment of the i -th argument; x_i – the initial value of the i -th argument; $y, \Delta y$ – the initial value and the increment of the resulting function.

So, for problem (1), let's set the values of the coefficients of relative priority of the function arguments: $\alpha_1=0.6$ and $\alpha_2=0.4$, and an increase in profit and a decrease in costs should occur.

Then the solution to the problem can be obtained as follows:

$$r + \Delta r = (p + \Delta p) / (c + \Delta c);$$

$$\Delta \Delta p c = -\alpha_1 \Delta c.$$

$$(p - 1.5 \Delta c) / (c + \Delta c) = 0.3;$$

$$\Delta c = -2.78;$$

$$\Delta p = -1.5 \cdot 2.78 = 4.17.$$

The values of profit and costs are equal: $p = 10 + 4.17 = 14.17$, $c = 50 - 2.78 = 47.22$.

The binding to the expert opinion has its positive aspects: several possible solutions to the problem can be considered, the best change in indicators is indicated from the point of view of available resources, the coefficients can be set taking into account the real possibility of the direction of the change in the arguments and their interdependence. The resulting decision can subsequently be adjusted taking into account additional conditions. However, sometimes it becomes necessary to obtain a result without involving expert information. The decision obtained using the coefficients of relative priority of the arguments is subjective and based on the opinion of a specialist, the determination of which may be difficult. The tasks, the solution of which can be found without involving expert information, in particular, include tasks of searching as close as possible to the original solution, i. e., with a minimum change in the arguments. Earlier, two methods for solving such problems were considered.

The first method is considered in [13]; the problem of determining the increments of arguments is represented as the optimization problem of quadratic programming: the sum of the squares of the increments of the arguments acts as the objective function. Using geometric constructions, a method for solving such a problem using a system of equations is determined. However, the scope of this method is limited due to the fact that the dependence function between the arguments can't always be formed. In addition, this method minimizes the sum of the squares of the changes in the arguments, while the absolute values of the arguments can be considered as easier to understand the characteristics of their changes. The sum of the absolute values of the increments of the arguments can be considered as an alternative to the Euclidean distance and suggests a decrease in the influence of large deviations.

The second method is presented in [14] and is based on the concept of a gradient vector, showing the direction of the greatest increase in the function. Therefore, moving in this direction, it is possible to achieve a given value of the function (if necessary, increase it) with a smaller change in the arguments. This method does not require the formation of a function of dependence between arguments, however, it is heuristic and in the problem under study does not guarantee an optimal solution from the point of view of the chosen criterion.

In addition, when solving problems, restrictions on the values of the arguments can be imposed. Restrictions on the values of indicators can be determined by the area of their acceptable values, the features of doing business (for example, the amount of resources used by an enterprise can't be more than the available stock), forecast values of indicators established by an expert, etc.

In [15], an algorithm is proposed for solving the problem in the presence of restrictions, including the gradual change of the resulting indicator to a small step value and the determination of the argument values using inverse calculations using the coefficients of the relative priority of the arguments. If the values of the arguments do not satisfy the constraints, then, if possible, the deficit is filled by other resources. The algorithm ends when the objective function is equal to the specified value or all resources are exhausted.

The disadvantage of the considered work is the need for multiple iterations, therefore, to solve the problem requires a lot of computing resources. In addition, in the case of stochastic algorithms, the resulting solution will be suboptimal.

The presented work is devoted to the development of an algorithm for solving the inverse problem with a minimum total absolute change in the arguments, taking into account the limitations. Unlike existing works, this algorithm will not require multiple solutions to the inverse problem with a sequential approximation of the initial value of the resulting indicator to the given one, the maximum number of iterations will be equal to the number of arguments whose values are constrained.

The aim of research is development of an algorithm for solving inverse problems while minimizing the sum of the absolute values of the arguments, taking into account the limitations that differ from the existing ones, using

the approach based on the choice of variable arguments, solving the inverse problem and adjusting the values of the arguments in accordance with the restrictions.

To achieve the aim, the following objectives are set:

- develop a method for solving the inverse problem while minimizing the sum of the absolute values of the arguments;
- develop an algorithm for solving the inverse problem, taking into account restrictions;
- to compare the solutions obtained as a result of the implementation of the algorithm with the results of using the methods presented in the literature and the mathematical package MathCad.

Thus, the proposed algorithm is based on the use of the inverse computing apparatus proposed in [7, 15]. It is modified to solve problems without involving expert information (with a minimum amount of absolute values of the arguments), taking into account restrictions on the values of the arguments.

2. Solution of the problems of economic analysis, taking into account the limitations

The problem of determining a solution with a minimum sum of the absolute values of the argument changes in the presence of restrictions has the form:

$$\Delta x_1 + \Delta x_2 + \dots \rightarrow \min, f(x + \Delta x) = y,$$

$$l^i \leq x^i + \Delta x^i \leq h^i, \quad (2)$$

where i – the number of the argument, the value of which is constrained ($i=1..m$, m – the number of arguments the value of which is constrained); l_i and h_i – the lower and upper bounds of the interval to which the values of the i -th argument must belong.

To solve this problem, let's consider an approach that consists in solving the linear programming problem with one constraint ($f(x+\Delta x)=y$) and then adjusting the solution in accordance with the established boundaries l_i and h_i .

Let's consider a solution to the linear programming problem with one restriction. Depending on the type of model and the increase in the result, the arguments of the objective function (2) will show either a positive or negative sign when the module is opened. So, for example, in the case of the additive model ($f(x)=x_1+x_2$), an increase in the result with a smaller amount of absolute changes in the arguments will be achieved with positive changes in the arguments.

After the module is expanded in the case of a linear constraint ($f(x+\Delta x)=b_1(x_1+\Delta x_1)+b_2(x_2+\Delta x_2)+\dots+b_n(x_n+\Delta x_n)$) (b – the numerical values for the arguments in the constraint) the problem (2) is a linear programming problem [17]. The classic method for solving it is the simplex method. However, with the only restriction and equality of numerical values for arguments in the objective function to unity, the problem can be solved by a simpler method. Its solution is reduced to finding an element with a large absolute numerical value b with an increase in the argument in the constraint and solving the equation for this argument [18].

If there are several such maximum values, then when solving the problem, either a uniform change of these arguments can be performed to achieve a given value of the result, or their change in accordance with the coefficients of relative importance specified by the expert, or a change in one of the arguments chosen randomly. When implementing software systems, the equation is solved using classical methods for finding roots (for example, by the Newton method), the article discusses the analytical solutions to such problems.

If the restriction has a nonlinear form, the considered problem relates to nonlinear programming problems [19]. To convert the constraint into a linear one, Taylor series expansion can be used (the initial values of the increments are zero):

$$f(\Delta x_1, \Delta x_2, \dots, \Delta x_n) = \sum_{i=1}^n \frac{\partial f}{\partial \Delta x_i} \Delta x_i \quad (3)$$

Consequently, the value of the partial derivatives $\frac{\partial f}{\partial \Delta x_i}$ at the zero point is considered as numerical values in increments of the arguments.

$$\frac{df}{d\Delta x_i}$$

at the zero point is considered as numerical values in increments of the arguments.

Thus, the algorithm for determining the solution of the inverse problem using inverse computation, if there are restrictions on the values of the arguments, includes the following steps.

Thus, the algorithm for determining the solution of the inverse problem using inverse computation, if there are restrictions on the values of the arguments, includes the following steps.

Step 1. Solving the problem of determining the increments Δx_i of variable arguments in such a way that the sum of their absolute values is minimal:

$$\Delta x_1 + \Delta x_2 + \dots \rightarrow \min,$$

$$f(x + \Delta x) = y. \quad (4)$$

Change the argument values by the obtained increment value: $x_i = x_i + \Delta x_i$.

Step 2. Verify compliance of mutable arguments with given constraints. If all values satisfy the constraints, then the algorithm stops. If there is at least one argument that does not satisfy the restrictions, then the value of the nearest boundary is assigned to it, and such an argument is excluded from the list of mutable arguments. If the list of mutable arguments is empty, then the algorithm ends.

In the presented algorithm, in step 1, the solution of problem (4) occurs, however, minimization of the sum of the squares of the increments and the change in the increments of the arguments in accordance with the elements of the gradient vector can be considered. This algorithm will allow to find a solution to such problems in the presence of restrictions.

3. The results of solving inverse problems with restrictions

Let's consider the application of the described algorithm for the additive and mixed dependence between the arguments of a function. Relative priority coefficients are excluded from the tasks.

The volume of delivery Q of products to the outlet consists of the delivery volume of the first, second and third type of product:

$$Q = Q_1 + Q_2 + Q_3, \quad (5)$$

where Q_1, Q_2, Q_3 – the volume of delivery of products of the first, second and third kind, respectively.

The initial values of the arguments are: $Q_1 = 15$ kg, $Q_2 = 17$ kg, $Q_3 = 20$ kg. The initial value of the resulting indicator Q is 52 kg. It is necessary to determine the volume of delivery of products of the first, second and third type so that the total volume is 60 kg of products.

At the same time, the following restrictions are set for argument values:

$$0 \leq Q_1 \leq 25; \quad 0 \leq Q_2 \leq 17.5; \quad 0 \leq Q_3 \leq 25.$$

Let's carry out the solution of the inverse problem with the help of inverse calculations under given constraints. Since the value of the resulting function needs to be increased, this can be achieved with positive gains in these arguments. The task has the form:

$$\Delta Q_1 + \Delta Q_2 + \Delta Q_3 \rightarrow \min; (Q_1 + \Delta Q_1) + (Q_2 + \Delta Q_2) + (Q_3 + \Delta Q_3) = 60;$$

$$\Delta Q_1, \Delta Q_2, \Delta Q_3 \geq 0.$$

The numerical values for ΔQ_1 , ΔQ_2 and ΔQ_3 are equal. Let's consider the case when the change in the growth of arguments occurs evenly.

The system of equations has the form:

$$\Delta Q_1 = \Delta Q_2 = \Delta Q_3 = 1,$$

$$\Delta Q_1 = \Delta Q_2 = \Delta Q_3 = 1,$$

□

$$\Delta Q_1 = \Delta Q_2 = \Delta Q_3 = 1, (15 + \Delta Q_1) + (17 + \Delta Q_2) + (20 + \Delta Q_3) = 60.$$

System solution:

$$\Delta Q_1 = \Delta Q_2 = \Delta Q_3 = 2.667.$$

Therefore,

$$Q_1 = 15 + 2.667 = 17.667,$$

$$Q_2 = 19.667, Q_3 = 22.667.$$

The argument Q_2 does not satisfy the restrictions; let's assign this argument the value of the boundary 17.5 ($Q_2 = 17.5$). The list of mutable arguments left Q_1 and Q_3 . The system of equations has the form:

$$\Delta Q_1 = \Delta Q_3 = 1,$$

□

$$\Delta Q_1 = \Delta Q_3 = 1, (17.667 + \Delta Q_1) + 17.5 + (22.667 + \Delta Q_3) = 60.$$

System solution:

$$\Delta Q_1 = \Delta Q_3 = 1.083.$$

Therefore,

$$Q_1 = 17.667 + 1.083 = 18.75, Q_2 = 17.5, Q_3 = 22.667 + 1.083 = 23.75.$$

The solution corresponds to the obtained solution using the MathCad program (Fig. 2).

$$\Delta Q1 := 0 \quad \Delta Q2 := 0 \quad \Delta Q3 := 0 \quad Q1 := 15 \quad Q2 := 17 \quad Q3 := 20 \quad f(\Delta Q1, \Delta Q2, \Delta Q3) := \Delta Q1 + \Delta Q2 + \Delta Q3$$

Given

$$14 \leq Q1 + \Delta Q1 \leq 25 \quad 16 \leq Q2 + \Delta Q2 \leq 17.5 \quad 18 \leq Q3 + \Delta Q3 \leq 25$$

$$(Q1 + \Delta Q1) + (Q2 + \Delta Q2) + (Q3 + \Delta Q3) = 60$$

$$\Delta Q := \text{Minimize } f(\Delta Q1, \Delta Q2, \Delta Q3)$$

$$Q1 := Q1 + \Delta Q = 18.75$$

$$Q2 := Q2 + \Delta Q = 17.5$$

$$Q3 := Q3 + \Delta Q = 23.75$$

Fig. 2. Problem solution in MathCad

Fig. 3 shows the change in the values of the arguments during ten iterations when solving the problem using the iterative procedure presented in [15]. The result obtained corresponds to the solution in Fig. 2.




Fig. 3. Changing argument values over ten iterations

Let's consider the mixed dependency between function arguments. Profit (M) of an enterprise is defined as the difference between income and costs [20, 21]:

$$M = Num(Price - Cu), \tag{6}$$

where $Price$ – the unit price of a product; Num – amount of product sold; Cu – unit cost of a product.

The initial value of the profit from the sale of products of the type in question is 4,018 c.u., the unit price is 60 c.u., the quantity is 98 units, the unit cost of production is 19 c.u. It is necessary to determine the value of the price, cost and quantity in this way so that the profit is equal to 4500 c.u.

Constraints for variables: $80 \leq Num \leq 130, 50 \leq Price \leq 62.5, 18.5 \leq Cu \leq 25$.

Let's calculate the partial derivatives of the constraint function $f(\Delta Num, \Delta Price, \Delta Cu) = (98 + \Delta Num) \cdot (60 + \Delta Price - 19 - \Delta Cu) - 4500$:

$$\frac{\partial f}{\partial \Delta Num} = 41,$$

$$\frac{\partial f}{\partial \Delta Price} = 98,$$

$$\frac{\partial f}{\partial \Delta Cu}$$

$$\frac{\partial \Delta Cu}{\partial Price} = -98$$

The absolute value of the partial derivative is greater for price and cost increment. Let's consider the uniform change in these indicators:

$$\frac{\Delta Price}{\Delta Cu} = -1;$$

$$98 \cdot (60 + \Delta Price - 19 - \Delta Cu) = 4500.$$

System solution: $\Delta Price=2.459$, $\Delta Cu=-2.459$, $Price=62.459$, $Cu=16.54$. The cost value does not satisfy the limit. Consequently, $Cu=18.5$, $\Delta Price=4500/98-62.459+18.5=1.959$.

The value of the price does not satisfy the restriction, therefore,

$$Price=62.5,$$

$$Num=4500/(62.5-18.5)=102.273.$$

The resulting value satisfies the constraint, the calculations are completed.

The solution also coincided with the solution of problem (1) in the MathCad program.

Table 1 presents the results obtained using the considered algorithm in the case of minimizing the sum of the squares of the changes in the arguments.

Table 1

Argument values while minimizing the squared argument changes

Iteration number	Num	Price	Cu
	99.02	62.223	16.777
	99.667	63.65	18.5
	102.273	62.5	18.5

4. Discussion of the results of the development of an algorithm for solving inverse problems with constraints

An algorithm is proposed for solving the inverse problem using inverse calculations while minimizing the sum of the absolute changes in the arguments, taking into account restrictions on the values of the arguments. The results of applying the algorithm are consistent with the solutions obtained using the mathematical package and applying the iterative procedure presented in [15].

The advantage of the proposed algorithm is that, unlike the approaches considered in [15, 16], it does not require multiple iterations, during which the resulting indicator is successively changed until a given value is reached. In the proposed algorithm, the number of iterations is determined by the number of arguments that do not satisfy the constraints. The algorithm, in contrast to the method proposed in [13], which considers minimizing the sum of the squares of the arguments, does not require the formation of a function of dependence between the arguments and suggests finding a solution while minimizing the absolute deviations of the arguments (a task in such a formulation may be more understandable for a specialist).

The disadvantages of the proposed method include the need to calculate partial derivatives of the function in the case of a nonlinear dependence between the arguments of the function.

The presented algorithm does not require the use of the simplex method and can be used to solve linear programming problems of the considered type in other areas of research. The disadvantage of the proposed algorithm is the requirement that the number of constraints that include different variables should be equal to unity, which narrows the range of tasks.

The directions of further research are related to the modification of this algorithm for the case of discrete data, i. e., if there is a requirement that the arguments of the function are integer.

5. Conclusions

1. An algorithm is proposed for solving the inverse problem while minimizing the sum of the absolute increments of the arguments, taking into account restrictions on the values of the arguments. The application of the algorithm allows one to obtain results that are consistent with the results of using mathematical packages and an iterative method, which involves changing the resulting indicator by a small amount until the specified value is reached. Confirmation of this is given in the results of the numerical solution of two inverse problems in which the additive and mixed dependence between the arguments is considered. A feature of the algorithm is the absence of the need for multiple iterations, as well as the ability to determine a solution with a minimum total absolute change in the arguments. This is achieved by presenting the problem as a linear programming problem with one restriction. Its solution reduces to determining the maximum absolute numerical values for the arguments in the constraint and solving the inverse problem using inverse calculations.

2. The presented algorithm can be implemented in decision support systems, providing organization specialists with the opportunity to solve inverse problems using inverse calculations if there are restrictions without using expert information. The approach will allow to determine the solution to problems with a minimum total absolute change in the arguments, i. e., the one closest to the current one, and ensure the speed of such software systems.

References

- [1] Colton, D., Engl, H. W., Louis, A. K., McLaughlin, J. R., Rundell, W. (Eds.) (2000). *Surveys on Solution Methods for Inverse Problems*. Springer. doi: <https://doi.org/10.1007/978-3-7091-6296-5>
- [2] Ekeland, I., Djitté, N. (2006). An inverse problem in the economic theory of demand. *Annales de l'Institut Henri Poincaré (C) Non Linear Analysis*, 23 (2), 269–281. doi: <https://doi.org/10.1016/j.anihpc.2005.10.001>
- [3] Barbagallo, A., Mauro, P. (2014). An Inverse Problem for the Dynamic Oligopolistic Market Equilibrium Problem in Presence of Excesses. *Procedia - Social and Behavioral Sciences*, 108, 270–284. doi: <https://doi.org/10.1016/j.sbspro.2013.12.837>
- [4] Shanenin, A. A. (2018). Inverse Problems in Economic Measurements. *Computational Mathematics and Mathematical Physics*, 58 (2), 170–179. doi: <https://doi.org/10.1134/s0965542518020161>
- [5] Klemashev, N. I., Shanenin, A. A. (2016). Inverse problems of demand analysis and their applications to computation of positively-homogeneous Konüs–Divisia indices and forecasting. *Journal of Inverse and Ill-Posed Problems*, 24 (4). doi: <https://doi.org/10.1515/jiip-2015-0015>
- [6] Beck, A., Teboulle, M. (2009). A Fast Iterative Shrinkage-Thresholding Algorithm for Linear Inverse Problems. *SIAM Journal on Imaging Sciences*, 2 (1), 183–202. doi: <https://doi.org/10.1137/080716542>
- [7] Odintsov, B. E., Romanov, A. N. (2014). How to create business performance management (BPM) system. *Bulletin of the University of Finance*, 6, 22–36.

-
- [8] Barmina, E. A., Kvjatkovskaja, I. Yu. (2010). Monitoring the quality of a commercial organization. Structuring indicators. The use of cognitive maps. *Bulletin of the Astrakhan State Technical University*, 2, 15–20.
- [9] Blumin, S. L., Borovkova, G. S. (2018). Application of analysis of finite fluctuations and reverse computations in control systems and decision support systems. *Control Sciences*, 6, 29–34. doi: <https://doi.org/10.25728/pu.2018.6.4>
- [10] Borshchuk, I. V., Odintsov, B. E., Shkvir, V. D. (2013). Inverse calculations in prevent crisis phenomenon of socio-economic systems. *International conference on application of information and communication technology and statistics in economy and education. Bulgaria*, 140–143.
- [11] Dik, V. V., Urintsov, A. I., Odintsov, B. Ye., Churikanova, O. Yu. (2014). Decision support methods in balanced ScoreCard. *Naukovyi visnyk Natsionalnoho hirnychoho universytetu*, 4, 120–126.
- [12] Ali, H. A. E. M., Al-Sulaihi, I. A., Al-Gahtani, K. S. (2013). Indicators for measuring performance of building construction companies in Kingdom of Saudi Arabia. *Journal of King Saud University - Engineering Sciences*, 25 (2), 125–134. doi: <https://doi.org/10.1016/j.jksues.2012.03.002>
- [13] Gribanova, E. B. (2018). Methods for solving inverse problems of economic analysis by minimizing argument increments. *Proceedings of Tomsk State University of Control Systems and Radioelectronics*, 21 (2), 95–99. doi: <https://doi.org/10.21293/18180442-2018-21-2-95-99>
- [14] Gribanova, E. (2019). Development of a price optimization algorithm using inverse calculations. *Eastern-European Journal of Enterprise Technologies*, 5 (4 (101)), 18–25. doi: <https://doi.org/10.15587/1729-4061.2019.180993>
- [15] Odincov, B. E., Romanov, A. N. (2014). Iterative method of optimization of enterprise management by means of inverse calculations. *Bulletin of the Financial University*, 2, 60–73.
- [16] Gribanova, E. B. (2016). Stochastic algorithms to solve the economic analysis inverse problems with constraints. *Proceedings of Tomsk State University of Control Systems and Radioelectronics*, 19 (4), 112–116. doi: <https://doi.org/10.21293/1818-0442-2016-19-4-112-116>
- [17] Vanderbei, R. J. (2014). *Linear programming. Foundations and Extensions*. Springer. doi: <https://doi.org/10.1007/978-1-46147630-6>
- [18] Ganicheva, A. V. (2019). Method of the solution of some classes optimising tasks. *Modeling, optimization and information technology*, 7 (2), 43–54. doi: <https://doi.org/10.26102/2310-6018/2019.25.2.002>
- [19] Trunov, A. (2015). Modernization of means for analyses and solution of nonlinear programming problems. *Quantitative Methods in Economics*, XVI (2), 133–141.
- [20] Shen, B., Shen, Y., Ji, W. (2019). Profit optimization in service-oriented data market: A Stackelberg game approach. *Future Generation Computer Systems*, 95, 17–25. doi: <https://doi.org/10.1016/j.future.2018.12.072>
- [21] O’Neill, B., Sanni, S. (2018). Profit optimisation for deterministic inventory systems with linear cost. *Computers & Industrial Engineering*, 122, 303–317. doi: <https://doi.org/10.1016/j.cie.2018.05.032>